Author Index

Abe, K.	Timoshenko beam finite element for vehicle–track vibration analysis and its application to jointed railway track	159–172
Allotta, B.	A parametric library for the simulation of a Union Internationale des Chemins de Fer (UIC) pneumatic braking system	117–132
Andersson, E.	Assessment of train-overturning risk due to strong cross-winds	213–223
Ballis, A.	Investigating the capacity of a Metro line by means of a simulation model	67–78
Banchi, L.	A parametric library for the simulation of a Union Internationale des Chemins de Fer (UIC) pneumatic braking system	117–132
Benuzzi, D.	Prediction of the press-fit curve in the assembly of a railway axle and wheel	51–65
Beretta, S.	Application of fatigue crack growth algorithms to railway axles and comparison of two steel grades	317–326
Cantini, S.	Application of fatigue crack growth algorithms to railway axles and comparison of two steel grades	317–326
Carboni, M.	Application of fatigue crack growth algorithms to railway axles and comparison of two steel grades	317–326
Cartigny, F.	A thermal analysis of a new railway brake concept using liquid cooling	79–88
Cook, P. W.	An approach to evaluate the service life of rubber springs used in rail vehicle suspensions	173–177
Desmet, B.	A thermal analysis of a new railway brake concept using liquid cooling	79–88
Diedrichs, B.	Quasi-static modelling of wheel–rail reactions due to crosswind effects for various types of high-speed rolling stock	133–148
Donzella, G.	Prediction of the press-fit curve in the assembly of a railway axle and wheel	51–65
Dufrénoy, P.	Two-/three-dimensional hybrid model of the thermomechanical behaviour of disc brakes	17–30
Dufrénoy, P.	A thermal analysis of a new railway brake concept using liquid cooling	79–88
Ekberg, A.	Fretting fatigue of railway axles—a review of predictive methods and an outline of a finite element model	299–316
Ekequist, M.	Quasi-static modelling of wheel–rail reactions due to crosswind effects for various types of high-speed rolling stock	133–148
Feng, Q.	Analysis of stability of continuously welded rail track with finite elements	225–234
Fletcher, D. I.	Growth of multiple rolling contact fatigue cracks driven by rail bending modelled using a boundary element technique	243–253
Ghidini, A.	Application of fatigue crack growth algorithms to railway axles and comparison of two steel grades	317–326
Giras, T. C.	Parameter determination for a rail system simulator by an intelligent genetic algorithm	149–157
Häggström, J.	Assessment of train-overturning risk due to strong cross-winds	213–223
Han, S.	A neural network approach to estimate the top speed and trainset configuration of a high-speed train	41–49
Hillmansen, S.	A brief historical overview of the fatigue of railway axles	267–277
Hillmansen, S.	The management of fatigue crack growth in railway axles	327–336
Hoddinott, D. S.	Railway axle failure investigations and fatigue crack growth mointoring of an axle	283–292
Hyde, P.	Growth of multiple rolling contact fatigue cracks driven by rail bending modelled using a boundary element technique	243–253
Ishida, M.	Timoshenko beam finite element for vehicle–track vibration analysis and its application to jointed railway track	159–172
Johansson, R.	A fault-tolerant architecture for computer-based railway vehicle brake systems	189–201
Kapoor, A.	Growth of multiple rolling contact fatigue cracks driven by rail bending modelled using a boundary element technique	243–253
Koro, K.	Timoshenko beam finite element for vehicle–track vibration analysis and its application to jointed railway track	159–172
Lee, J.	A neural network approach to estimate the top speed and trainset configuration of a high-speed train	41–49
Lei, X.	Analysis of stability of continuously welded rail track with finite elements	225–234
Liberis, K.	Investigating the capacity of a Metro line by means of a simulation model	67–78
Lin, Z.	Parameter determination for a rail system simulator by an intelligent genetic algorithm	149–157

© IMechE 2004

Lonsdale, C.	North American axle failure experience	293–298
López Pita, A.	High speed and track deterioration: the role of vertical stiffness of the track	31–40
Lou, P.	Constraint equations between the wheelset and rails on straight railway track	255–263
Luo, R. K.	An approach to evaluate the service life of rubber springs used in rail vehicle suspensions	173–177
Malvezzi, M.	A parametric library for the simulation of a Union Internationale des Chemins de Fer (UIC) pneumatic braking system	117–132
Mortel, W. J.	An approach to evaluate the service life of rubber springs used in rail vehicle suspensions	173–177
Moschovou, T.	Investigating the capacity of a Metro line by means of a simulation model	67–78
Ou, Y.	Parameter determination for a rail system simulator by an intelligent genetic algorithm	149–157
Olofsson, U.	Influence of leaf, humidity and applied lubrication on friction in the wheel–rail contact: pin-on-disc experiments	235–242
Presciani, P.	A parametric library for the simulation of a Union Internationale des Chemins de Fer (UIC) pneumatic braking system	117–132
Pugi, L.	A parametric library for the simulation of a Union Internationale des Chemins de Fer (UIC) pneumatic braking system	117–132
Robusté, F.	High speed and track deterioration: the role of vertical stiffness of the track	31–40
Ruan, W.	Parameter determination for a rail system simulator by an intelligent genetic algorithm	149–157
Sakamoto, H.	Heat convection and design of brake discs	203–212
Sarwar, G. A.	Design synthesis of non-symmetrically loaded high-performance disc brakes. Part 2: finite element modelling	89–104
Sarwar, G. A.	Design synthesis of non-symmetrically loaded high-performance disc brakes. Part 3: verfication and optimization	105–115
Sima, M.	Assessment of train-overturning risk due to strong cross-winds	213–223
Smith, R. A.	A brief historical overview of the fatigue of railway axles	267–277
Smith, R. A.	The management of fatigue crack growth in railway axles	327–336
Snell, J. R.	Key issues in the application of unified railway axle standards	279–282
Stichel, S.	Quasi-static modelling of wheel–rail reactions due to crosswind effects for various types of high-speed rolling stock	133–148
Stichel, S.	Assessment of train-overturning risk due to strong cross-winds	213–223
Stone, D.	North American axle failure experience	293–298
Sundvall, K.	Influence of leaf, humidity and applied lubrication on friction in the wheel–rail contact: pin-on-disc experiments	235–242
Suzuki, T.	Timoshenko beam finite element for vehicle–track vibration analysis and its application to jointed railway track	159–172
Teixeira, P. F.	High speed and track deterioration: the role of vertical stiffness of the track	31–40
Tengstrand, H.	Quasi-static modelling of wheel–rail reactions due to crosswind effects for various types of high-speed rolling stock	133–148
Thompson, D. J.	The effects of track non-linearity on wheel/rail impact	1–15
Tirovic, M.	Design synthesis of non-symmetrically loaded high-performance disc brakes. Part 2: finite element modelling	89–104
Tirovic, M.	Design synthesis of non-symmetrically loaded high-performance disc brakes. Part 3: verfication and optimization	105–115
Wu, T. X.	The effects of track non-linearity on wheel/rail impact	1–15
Wu, W. X.	An approach to evaluate the service life of rubber springs used in rail vehicle suspensions	173–177

© IMechE 2004